



Creative Design

301 -302, 3rd floor, National Corporate Park
G.E. Road, Raipur (C.G.)-492001, PH:4004762,
Email: admin@createdesign.co.in

Purchase Order



Billing Address - CREATIVE DESIGN,CG

302, 3rd Floor, National Corporate Park, Opposite Maruti
Business Park, GE Road
Raipur-492001
Chhattisgarh, India

Tel No: 07714004762

GSTIN : 22AHNPB5438K1ZC I.E.C : 6315001815

Udyam Registration : CG-14-0014397

Delivery Location

D-12 Bungalow Wallford City, Opposite Of Wallford Heights,
Bhatagaon Raipur (C.G.)

Site Contact Vicky Gautam
Contact No 9752211144

Supplier/Vendor Details

Name **Golpuria Enterprises**
Address Near Gurudwara, Main Road
Bargarh-768028
IN
State Orissa (21)
GSTIN 21ADMPA1540L1ZZ
E-mail golpuriassi@gmail.com
Phone 9437057573
Contact Person Rajesh Agarwal / 9437057573

Order Details

PO No PO2324/2053
PO Date 12/03/2024
Delivery Date 15/03/2024

Your Reference
Project Name Wallfort (2269)
Project Manager Vaishali Barloti / 7804932005

Currency : INR

Sl.No	Description	HSN / SAC	Qty	Unit	Rate	Amount
1	Dimex Edelweiss UPVC Sliding Window 3 Track 6mm Toughened Clear Glass **Track : SLIDING THREE TRACK FRAME 112MM X 50MM**Track RI : REINFORCEMENT 30MM X 10MM**Sliding Sash : 311000**Sliding Sash RI : 361000-1.0MM**Interlock : 320700**Guide Rail : Aluminium/440000**Handle : Sliding Touch Lock Left, Sliding Touch Lock Right**Roller : Single Wheel With Groove**Flyscreen Sash Roller : Single Wheel Without Groove**Profile System : DIMEX - EDELWEISS 60/88/112MM SLIDING DOOR Size- 2360 (W) X 1160 (H), Toughened Clear Glass - 1, Area- GF Kitchen, W01	39252000	1	NOS	15,784.250	15,784.25
2	Dimex Edelweiss UPVC Sliding Window 3 Track 6mm Toughened Clear Glass **Track : SLIDING THREE TRACK FRAME 112MM X 50MM**Track RI : REINFORCEMENT 30MM X 10MM**Sliding Sash : 311900**Sliding Sash RI : 361900-1.0MM**Interlock : 321100**Guide Rail : Aluminium/440000**Handle : Single Pop Up Handle**Flyscreen Handle : Sliding C Handle**Roller : Double Wheel Adjustable with Groove**Flyscreen Sash Roller : Double Wheel Adjustable With Groove**Profile System : DIMEX - EDELWEISS 60/88/112MM SLIDING DOOR Size- 3555 (W) X 2210 (H), Toughened Clear Glass - 5, Area- GF Dinning, W02	39252000	1	NOS	42,007.950	42,007.95



Creative Design

301-302, 3rd floor, National Corporate Park
G.E. Road, Raipur (C.G.)-492001, PH:4004762,
Email: admin@createdesign.co.in

Purchase Order



PO No: 2053, Dt: 12-Mar-2024

Sl.No	Description	HSN / SAC	Qty	Unit	Rate	Amount
3	Dimex Edelweiss UPVC Sliding Window 3 Track 6mm Toughened Clear Glass **Track : SLIDING THREE TRACK FRAME 112MM X 50MM**Track RI : REINFORCEMENT 30MM X 10MM**Sliding Sash : 311900**Sliding Sash RI : 361900-1.0MM**Interlock : 321100**Guide Rail : Aluminium/440000**Handle : Single Pop Up Handle**Flyscreen Handle : Sliding C Handle**Roller : Double Wheel Adjustable with Groove**Flyscreen Sash Roller : Double Wheel Adjustable With Groove**Profile System : DIMEX - EDELWEISS 60/88/112MM SLIDING DOOR Size- 2280 (W) X 2220 (H), Toughened Clear Glass - 1, Area- GF Guest Room, W03	39252000	1	NOS	27,825.200	27,825.20
4	Dimex Edelweiss UPVC Casement Window + Ex-fan + Fixed 4mm Pin Head Glass **Outer : CASEMENT OUTER 60MM X 58MM**Outer RI : REINFORCEMENT 28MM X 20MM X 15MM**Mullion : CASEMENT T/SASH MULLION 60MM X 76MM**Mullion RI : REINFORCEMENT 28MM X18MM X 15MM Size- 330 (W) X 1330 (H), Pin Head - 2, Area- GF Parents Room Toilet, W04	3925	1	NOS	2,271.000	2,271.00
5	Dimex Edelweiss UPVC Sliding Window 3 Track 6mm Toughened Clear Glass **Track : SLIDING THREE TRACK FRAME 112MM X 50MM**Track RI : REINFORCEMENT 30MM X 10MM**Sliding Sash : 311900**Sliding Sash RI : 361900-1.0MM**Interlock : 321100**Guide Rail : Aluminium/440000**Handle : Single Pop Up Handle**Flyscreen Handle : Sliding C Handle**Roller : Double Wheel Adjustable with Groove**Flyscreen Sash Roller : Double Wheel Adjustable With Groove**Profile System : DIMEX - EDELWEISS 60/88/112MM SLIDING DOOR Size- 2270 (W) X 2240 (H), Toughened Clear Glass - 1, Area- GF Parents Room, W05	39252000	1	NOS	27,930.650	27,930.65
6	Dimex Edelweiss UPVC Sliding Window 3 Track 6mm Toughened Clear Glass **Track : SLIDING THREE TRACK FRAME 112MM X 50MM**Track RI : REINFORCEMENT 30MM X 10MM**Sliding Sash : 311900**Sliding Sash RI : 361900-1.0MM**Interlock : 321100**Guide Rail : Aluminium/440000**Handle : Single Pop Up Handle**Flyscreen Handle : Sliding C Handle**Roller : Double Wheel Adjustable with Groove**Flyscreen Sash Roller : Double Wheel Adjustable With Groove**Profile System : DIMEX - EDELWEISS 60/88/112MM SLIDING DOOR Size- 2260 (W) X 2240 (H), Toughened Clear Glass - 1, Area- Living Area, W06	39252000	1	NOS	27,855.300	27,855.30



PO No: 2053, Dt: 12-Mar-2024

Sl.No	Description	HSN / SAC	Qty	Unit	Rate	Amount
7	Dimex Edelweiss UPVC Sliding Window 3 Track 6mm Toughened Clear Glass **Track : SLIDING THREE TRACK FRAME 112MM X 50MM**Track RI : REINFORCEMENT 30MM X 10MM**Sliding Sash : 311000**Sliding Sash RI : 361000-1.0MM**Interlock : 320700**Guide Rail : Aluminium/440000**Handle : Sliding Touch Lock Left, Sliding Touch Lock Right**Roller : Single Wheel With Groove**Flyscreen Sash Roller : Single Wheel Without Groove**Profile System : DIMEX - EDELWEISS 60/88/112MM SLIDING DOOR Size- 2350 (W) X 1475 (H), Toughened Clear Glass - 1, Area- Drawing Room, W07	39252000	1	NOS	18,535.190	18,535.19
8	Dimex Edelweiss UPVC Casement Door 12mm Toughened Clear Glass **Outer : Casement Outer 60MM X 70MM**Outer RI : REINFORCEMENT 28MM X 30MM**Profile System : DIMEX - EDELWEISS 60MM Casement DOOR Size- 750 (W) X 2260 (H), Toughened Clear Glass - 3, Area- GF Mandir 1, W08	39252000	1	NOS	7,710.540	7,710.54
9	Dimex Edelweiss UPVC Casement Door 12mm Toughened Clear Glass **Outer : Casement Outer 60MM X 70MM**Outer RI : REINFORCEMENT 28MM X 30MM**Profile System : DIMEX - EDELWEISS 60MM Casement DOOR Size- 750 (W) X 2250 (H), Toughened Clear Glass - 3, Area- Mandir 2, W09	39252000	1	NOS	7,679.770	7,679.77
10	Dimex Edelweiss UPVC Casement Window + Ex-fan + Fixed 4mm Pin Head Glass **Outer : CASEMENT OUTER 60MM X 58MM**Outer RI : REINFORCEMENT 28MM X 20MM X 15MM**Coupler : 60.6MM**Mullion : CASEMENT T/SASH MULLION 60MM X 76MM**Mullion RI : REINFORCEMENT 28MM X18MM X 15MM**Casement Sash : 310300**Casement RI : 360300-1.0MM**Handle : Espag Handle Without Key**Hinge : Friction Stay 14***DIMEX - EDELWEISS 60MM CASEMENT WINDOW Size- 680 (W) X 1890 (H), Pin Head - 2, 3, Area- Guest Room V, W10	39252000	1	NOS	7,150.180	7,150.18
11	Dimex Edelweiss UPVC Casement Window + Ex-fan + Fixed 4mm Pin Head Glass **Outer : CASEMENT OUTER 60MM X 58MM**Outer RI : REINFORCEMENT 28MM X 20MM X 15MM**Coupler : 60.6MM**Mullion : CASEMENT T/SASH MULLION 60MM X 76MM**Mullion RI : REINFORCEMENT 28MM X18MM X 15MM**Casement Sash : 310300**Casement RI : 360300-1.0MM**Handle : Espag Handle Without Key**Hinge : Friction Stay 18***DIMEX - EDELEWISS 60MM Casement Window Size- 830 (W) X 1420 (H), Pin Head - 2, 3, Area- Study Room Toilet, W13	39252000	1	NOS	6,480.180	6,480.18



Creative Design

301-302, 3rd floor, National Corporate Park
G.E. Road, Raipur (C.G.)-492001, PH:4004762,
Email: admin@createdesign.co.in

Purchase Order



PO No: 2053, Dt: 12-Mar-2024

Sl.No	Description	HSN / SAC	Qty	Unit	Rate	Amount
12	Dimex Edelweiss UPVC Sliding Window 3 Track 6mm Toughened Clear Glass **Track : SLIDING THREE TRACK FRAME 112MM X 50MM**Track RI : REINFORCEMENT 30MM X 10MM**Sliding Sash : 311900**Sliding Sash RI : 361900-1.0MM**Interlock : 321100**Guide Rail : Aluminium/440000**Handle : Single Pop Up Handle**Flyscreen Handle : Sliding C Handle**Roller : Double Wheel Adjustable with Groove**Flyscreen Sash Roller : Double Wheel Adjustable With Groove**Profile System : DIMEX - EDELWEISS 60/88/112MM SLIDING DOOR Size- 1775 (W) X 1680 (H), Toughened Clear Glass - 1, Area- Study Room, W14	39252000	1	NOS	19,497.230	19,497.23
13	Dimex Edelweiss UPVC Sliding Window 3 Track 6mm Toughened Clear Glass **Track : SLIDING THREE TRACK FRAME 112MM X 50MM**Track RI : REINFORCEMENT 30MM X 10MM**Sliding Sash : 311900**Sliding Sash RI : 361900-1.0MM**Interlock : 321100**Guide Rail : Aluminium/440000**Handle : Single Pop Up Handle**Flyscreen Handle : Sliding C Handle**Roller : Double Wheel Adjustable with Groove**Flyscreen Sash Roller : Double Wheel Adjustable With Groove**Profile System : DIMEX - EDELWEISS 60/88/112MM SLIDING DOOR Size- 3205 (W) X 1675 (H), Toughened Clear Glass - 1, Area- Living Area, W15	39252000	1	NOS	32,324.150	32,324.15
14	Dimex Edelweiss UPVC Sliding Window 3 Track 6mm Toughened Clear Glass **Track : SLIDING THREE TRACK FRAME 112MM X 50MM**Track RI : REINFORCEMENT 30MM X 10MM**Sliding Sash : 311900**Sliding Sash RI : 361900-1.0MM**Interlock : 321100**Guide Rail : Aluminium/440000**Handle : Single Pop Up Handle**Flyscreen Handle : Sliding C Handle**Roller : Double Wheel Adjustable with Groove**Flyscreen Sash Roller : Double Wheel Adjustable With Groove**Profile System : DIMEX - EDELWEISS 60/88/112MM SLIDING DOOR Size- 2325 (W) X 1680 (H), Toughened Clear Glass - 1, Area- Master Bed Room, W16	39252000	1	NOS	22,982.960	22,982.96
15	Dimex Edelweiss UPVC Casement Window + Ex-fan + Fixed 4mm Pin Head Glass **Outer : CASEMENT OUTER 60MM X 58MM**Outer RI : REINFORCEMENT 28MM X 20MM X 15MM**Coupler : 60.6MM**Mullion : CASEMENT T/SASH MULLION 60MM X 76MM**Mullion RI : REINFORCEMENT 28MM X18MM X 15MM**Casement Sash : 310300**Casement RI : 360300-1.0MM**Handle : Espag Handle Without Key**Hinge : Friction Stay 14**DIMEX - EDELWEISS 60MM CASEMENT WINDOW Size- 660 (W) X 1650 (H), Pin Head - 2, 3, Area- Master BD Room Toilet, W17	39252000	1	NOS	6,390.800	6,390.80



PO No: 2053, Dt: 12-Mar-2024

Sl.No	Description	HSN / SAC	Qty	Unit	Rate	Amount
16	Dimex Edelweiss UPVC Sliding Window 3 Track 6mm Toughened Clear Glass **Track : SLIDING THREE TRACK FRAME 112MM X 50MM**Track RI : REINFORCEMENT 30MM X 10MM**Sliding Sash : 311900**Sliding Sash RI : 361900-1.0MM**Interlock : 321100**Guide Rail : Aluminium/440000**Handle : Single Pop Up Handle**Flyscreen Handle : Sliding C Handle**Roller : Double Wheel Adjustable with Groove**Flyscreen Sash Roller : Double Wheel Adjustable With Groove**Profile System : DIMEX - EDELWEISS 60/88/112MM SLIDING DOOR Size- 2365 (W) X 1680 (H), Toughened Clear Glass - 1, Area- Jons BD Room, W18	39252000	1	NOS	23,246.870	23,246.87
17	Dimex Edelweiss UPVC Casement Window + Ex-fan + Fixed 4mm Pin Head Glass **Outer : CASEMENT OUTER 60MM X 58MM**Outer RI : REINFORCEMENT 28MM X 20MM X 15MM**Coupler : 60.6MM**Mullion : CASEMENT T/SASH MULLION 60MM X 76MM**Mullion RI : REINFORCEMENT 28MM X 18MM X 15MM**Casement Sash : 310300**Casement RI : 360300-1.0MM**Handle : Espag Handle Without Key**Hinge : Friction Stay 14**DIMEX - EDELWEISS 60MM CASEMENT WINDOW Size- 560 (W) X 1320 (H), Pin Head - 2, 3, Area- Jons BD Room V, W19	39252000	1	NOS	4,882.710	4,882.71
18	Dimex Edelweiss UPVC Casement Door 6mm Toughened Clear Glass **Outer : Casement Outer 60MM X 70MM**Outer RI : REINFORCEMENT 28MM X 30MM**Mullion : Casement T/Sash Mullion 60MM X 76MM**Mullion RI : REINFORCEMENT 28MM X 18MM X 15MM**Profile System : DIMEX - EDELWEISS 60MM Casement DOOR Size- 2260 (W) X 2240 (H), Toughened Clear Glass - 1, 2, Area- Small Guest, W20	39252000	1	NOS	16,192.460	16,192.46
19	Dimex Edelweiss UPVC Sliding Window 3 Track 6mm Toughened Clear Glass **Track : SLIDING THREE TRACK FRAME 112MM X 50MM**Track RI : REINFORCEMENT 30MM X 10MM**Sliding Sash : 311900**Sliding Sash RI : 361900-1.0MM**Interlock : 321100**Guide Rail : Aluminium/440000**Handle : Single Pop Up Handle**Flyscreen Handle : Sliding C Handle**Roller : Double Wheel Adjustable with Groove**Flyscreen Sash Roller : Double Wheel Adjustable With Groove**Profile System : DIMEX - EDELWEISS 60/88/112MM SLIDING DOOR Size- 2270 (W) X 1680 (H), Toughened Clear Glass - 1, Area- Balcony, W21	39252000	1	NOS	22,631.130	22,631.13



Creative Design

301-302, 3rd floor, National Corporate Park
G.E. Road, Raipur (C.G.)-492001, PH:4004762,
Email: admin@createdesign.co.in

Purchase Order



PO No: 2053, Dt: 12-Mar-2024

Sl.No	Description	HSN / SAC	Qty	Unit	Rate	Amount
-------	-------------	-----------	-----	------	------	--------

HSN Code	Taxable Value	CGST		SGST		IGST	
		Rate	Value	Rate	Value	Rate	Value
3925	2,271.00	0.00	0.00	0.00	0.00	18.00	408.78
39252000	337,107.52	0.00	0.00	0.00	0.00	18.00	60,679.35

Total	339,378.52
Disc.@	0.00
Taxable Total	339,378.52
IGST @18.00%	61,088.13
Round off	0.35
Grand Total	400,467.00

Amount in Words

Indian Rupee FOUR LAC FOUR HUNDRED SIXTY SEVEN ONLY

Remarks:

1.PLEASE SEND ALL DOCUMENTS TO HO (HEAD OFFICE) ADDRESS ONLY.

2. MAKE SEPARATE BILL FOR EACH PURCHASE ORDER. STRICTLY. MENTION PO NUMBER PAYMENT TERMS.

- Payment will be made After 21 working days only against submission of Bill / Running bill along with received copy of GRN/ DDS duly stamped & signed by our Site In charge/ concerned authority.
- Above rate is inclusive of all taxes and loading.
- We do not accept CREDIT note. Any excess payment made or payment due against returns should be refunded to us in full.

TERMS AND CONDITIONS.

- Please mention our Purchase Order No. on all Delivery Challans/Bills to ensure timely payments.
- Bill/Invoice/Material sent without purchase order shall not be paid.
- Payment shall not be made if the bill/invoice is not accompanied by challan. Challan must be signed and stamped by Site In charge/concerned authority.
- Payment is effective by A/c Payee Cheques Only.
- Delivery of material supplied should be strictly as per delivery schedule mentioned on Purchase Order.Late delivery will not be accepted without notice.
- Actual quantity received and accepted at site exclusive of beakage/damage/fault will be taken into consideration at time of billing/payment.Site In-charge has the right to reject the material for above reasons.
- You shall accept all returns made of balance/ remaining material after work is done.It shall be returned in same condition as delivered.
- Delivery Challan Name & Bill/Invoice name should be same. Transport bill should be attached to original bill if applicable .
- Purchase Order is valid for 30 days only.
- Subject to Raipur Jurisdiction only

for CREATIVE DESIGN,CG



Authorised Signatory